



Understanding your treatment with IMFINZI (durvalumab) and IMJUDO (tremelimumab)

Your doctor has prescribed IMFINZI and IMJUDO used in combination to treat your hepatocellular carcinoma (HCC)

This booklet, produced and funded by AstraZeneca, is intended for use when you have been prescribed IMFINZI and IMJUDO for your advanced HCC.

Please consult the Patient Information Leaflet (PIL), provided by your doctor or pharmacist for full information about your treatment with IMFINZI and IMJUDO.

Licensed Therapeutic Indications for HCC in the United Kingdom:

IMFINZI in combination with tremelimumab is used to treat a type of liver cancer called advanced or unresectable HCC in adults. It is used when your HCC cannot be removed by surgery (unresectable), and may have spread within your liver or to other parts of the body.

IMJUDO in combination with durvalumab is used to treat a type of liver cancer called advanced or unresectable HCC. It is used when your HCC cannot be removed by surgery (unresectable), and may have spread within your liver or to other parts of the body.

If you get any side effects, talk to your doctor. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme Website: <https://yellowcard.mhra.gov.uk/> or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of these medicines.

▼ This medicine is subject to additional monitoring. This will allow quick identification of new safety information. You can help by reporting any side effects you may get. See <https://yellowcard.mhra.gov.uk/> for how to report side effects.

Table of contents

What is advanced liver cancer?	3
What to know about your treatment	4–5
Your healthcare team	6
Keeping your healthcare team in the loop	7
What to expect over the forthcoming months	8
Preparing for your infusion	9
Finding ways to pass the time during your infusions	10–11
Possible serious side effects of IMFINZI and IMJUDO	12–15
Possible side effects of IMFINZI and IMJUDO reported in clinical trials	16–17
Self-care tips that may help relieve side effects if they occur	18–19
Keeping track of your symptoms	20–21
Your IMFINZI and IMJUDO diary (how to use)	22–23
Your IMFINZI and IMJUDO diary	24–27
You are not alone	28
Notes	29–31
More information	32

What is advanced liver cancer?


Liver cancer develops when cells within the liver go through a change that makes them multiply out of control to form a lump or tumour.

While there are different types of liver cancers, HCC is the most common.

When your liver cancer has grown too large, spread to other parts of your liver, or spread to other parts of your body, or cannot be removed by surgery, it is called unresectable or advanced liver cancer.

HCC often requires systematic therapy in the advanced stages.

Your healthcare team has prescribed a combination of two immunotherapies because they believe it will help treat your type of liver cancer.



What to know about your treatment



Your treatment combines different therapies

- IMFINZI in combination with IMJUDO is used to treat advanced or unresectable HCC in adults
- It is used when your HCC:
 - Cannot be removed by surgery (unresectable)
 - May have spread within your liver or to other parts of the body



These medicines work differently to a lot of other cancer treatments

- Your response to these medicines, as well as side effects you could experience, may be different to other cancer treatments. If you have any questions about how these medicines work or why this has been prescribed for you, ask your doctor or pharmacist
- This booklet aims to highlight the side effects and symptoms that might affect you while taking these medicines



Every person is different

Your doctor will decide how long you will receive these medicines and how many treatments you need.

What should you know about immunotherapy treatment?

- IMFINZI and IMJUDO are immunotherapies not chemotherapy
- These therapies can help your immune system find and attack cancer cells, but they can affect healthy cells too
- Sometimes, immunotherapies may cause your immune system to attack normal organs and tissues in any area of your body
- As the treatment is working with your immune system, side effects are common and may happen any time during treatment, or even after your treatment has ended
- It is important to **talk to your doctor straight away** if you are experiencing any side effects or symptoms as they may become serious and life-threatening if not addressed
- Treatment is administered as a drip into your vein (infusion), which is referred to as an 'IV' or 'intravenous infusion'
- Your doctor will give you IMJUDO as an infusion which lasts about one hour. Your doctor will then give you IMFINZI as an infusion which also lasts for about one hour



Talk to your doctor straight away if you have any side effects or symptoms, as this is important for them to know when they are making decisions about your treatment.

Please consult the Patient Information Leaflet (PIL) for more information on IMFINZI and IMJUDO.

Your healthcare team

In the fields below, write down the contact information for each member of your healthcare team. That way, if you need to call someone, you will have all the information you need in one convenient location.

Name:	Speciality: Oncologist
 Mobile:	
 Email:	
 Hospital:	

Name:	Speciality: Nurse Specialist
 Mobile:	
 Email:	
 Hospital:	

Name:	
 Mobile:	
 Email:	
 Hospital:	

Name:	
 Mobile:	
 Email:	
 Hospital:	

Keeping your healthcare team in the loop

You should not be given this treatment if you are allergic to IMFINZI, IMJUDO or any of the other ingredients of these medicines (listed in section 6 of the respective Patient Information Leaflets).

Talk to your doctor if you are not sure.

Specific conditions your healthcare team need to be aware of include:

- Autoimmune disease (an illness where the body's immune system attacks its own cells)
- If you have had an organ transplant
- If you have lung problems or breathing problems
- If you have liver problems

If any of the above apply to you (or you are not sure), talk to your doctor before you are given IMFINZI or IMJUDO.

Other medicines:

Tell your doctor if you are taking, have recently taken or might take any other medicines. This includes herbal medicines and medicines obtained without a prescription.

Pregnancy and fertility:

- These medicines are **not recommended during pregnancy**
- Tell your doctor if you are pregnant, think you may be pregnant or are planning to have a baby
- If you are a woman who could become pregnant, you must use effective contraception while you are being treated with IMFINZI and IMJUDO and for at least 3 months after your last dose

Breastfeeding:

- Tell your doctor if you are breastfeeding
- Ask your doctor if you can breastfeed during or after treatment
- It is not known if IMFINZI or IMJUDO passes into human breast milk
- You may be advised to not breastfeed during treatment and for at least 3 months after your last dose

Please consult the Patient Information Leaflet (PIL) for more information on the warnings and precautions of IMFINZI and IMJUDO.

What to expect over the forthcoming months

How are you given IMFINZI and IMJUDO?

IMFINZI and IMJUDO are administered as infusions, also referred to as intravenous administration. They are given to you in a hospital or clinic, under the supervision of an experienced doctor.



Your doctor will give you IMFINZI as an infusion (drip) into your vein for about one hour.

Your doctor will decide how many treatments you need.

When IMFINZI is given in combination with IMJUDO for your liver cancer, you will first be given IMJUDO followed by IMFINZI.

When will I be advised to stop treatment with IMFINZI and IMJUDO?

Your healthcare team will perform routine tests to monitor you while you are treated with these medicines to understand how well the treatment is working. Your treatment with these medicines may be stopped early if:

- You have intolerable side effects
- Your cancer gets worse

What should I do if I miss an appointment to get these medicines?

- It is very important that you do not miss a dose of these medicines
- If you miss an appointment, **call your doctor straight away** to reschedule your appointment

If you have any further questions about your treatment, ask your doctor

Please consult the Patient Information Leaflet (PIL) for more information on how IMFINZI and IMJUDO will be administered to you.

Preparing for your infusion

If you prepare for your treatment you may have a better experience. Here is an infusion checklist you may find useful for your treatment days.

Before treatment

- Stay hydrated
- Eat a small meal
- Often, many people find wearing loose fitting clothes beneficial
- Writing down questions regarding your treatment can give peace of mind
- Organising travel to and from the hospital before and after an infusion can help with the treatment process
- Make sure to tell your doctor if you are taking, have recently taken or might take any other medicines. This includes herbal medicines and medicines obtained without a prescription

During treatment

Here are a few things to bring with you that may be useful on your treatment days:

- A list of medicines you are currently taking
- An activity to keep you occupied and pass the time
- A water bottle to keep you hydrated
- Depending on the length of treatment, you may want to bring some snacks
- Lip balm and hand cream to help soothe dry skin and lips
- In hospital it may get cold, it is often a good idea to bring a jumper or blanket

After treatment

- These medicines are not likely to affect you being able to drive or use machines. However, if you have side effects that affect your ability to concentrate and react, you should be careful when driving or operating machines
- Make sure you schedule your next appointment before leaving
- Try to take it easy for the rest of the day




Finding ways to pass the time during your infusions

Sometimes the time for your infusion is longer than expected. When this happens, being prepared to keep yourself busy can help to pass the time.

Here are some things you can do while you wait:



Read a book




Finish a wordsearch
or crossword puzzle



Keep a journal



Listen to a podcast,
audio-book or
some music



Hobbies including colouring, knitting or crocheting can keep your hands busy



Notes

Possible serious side effects of IMFINZI and IMJUDO

Like all medicines, IMFINZI and IMJUDO can cause side effects, although not everybody gets them

When you are given IMFINZI in combination with IMJUDO, you can have **some serious side effects**.

Talk to your doctor straight away if you have any of the following symptoms:

LUNGS

- New or worsening cough
- Shortness of breath or chest pain

LIVER

- Feeling sick (nausea) or vomiting
- Feeling less hungry
- Pain on the right side of your stomach
- Yellowing of skin or whites of eyes
- Drowsiness
- Dark urine
- Bleeding or bruising more easily than normal

BOWEL

- Diarrhoea or more bowel movements than usual
- Stools that are black, tarry or sticky with blood or mucus
- Severe stomach pain or tenderness
- Hole in the bowel

GLANDS

(Especially the thyroid, adrenal, pituitary glands and pancreas)

- Fast heart rate
- Extreme tiredness
- Weight gain or weight loss
- Dizziness or fainting
- Hair loss
- Feeling cold
- Constipation
- Headaches that will not go away or unusual headaches
- Abdominal pain
- Nausea and vomiting

HEART:


- Chest pain
- Shortness of breath
- Irregular heartbeat

KIDNEYS

- Decrease in the amount of urine you pass

DIABETES

- High blood sugar
- Feeling more hungry or thirsty than usual
- Passing urine more often than usual
- Fast and deep breathing
- Confusion
- Sweet smell to your breath
- Sweet or metallic taste in your mouth
- Different odour to your urine or sweat



You may experience additional side effects not listed here. Please consult the Patient Information Leaflet (PIL) for more details.

Possible serious side effects of IMFINZI and IMJUDO cont...

Talk to your doctor straight away if you have any of the following symptoms:

BRAIN/SPINAL CORD

- Seizures
- Neck stiffness
- Headache
- Fever
- Chills
- Vomiting
- Eye sensitivity to light
- Confusion and sleepiness


SPINAL CORD (TRANSVERSE MYELITIS)

- Pain
- Numbness, tingling, or weakness in the arms or legs
- Bladder or bowel problems including needing to urinate more frequently, urinary incontinence, difficulty urinating and constipation

JOINTS

- Joint pain
- Swelling and/or stiffness (immune-mediated arthritis)

You may experience additional side effects not listed here. Please consult the Patient Information Leaflet (PIL) for more details.



EYE

- Eye redness
- Eye pain
- Light sensitivity and/or changes in vision (uveitis)

NERVES

- Pain
- Weakness
- Paralysis in the hands, feet or arms (Guillain-Barré syndrome)

MUSCLES

- Muscle pain
- Weakness or rapid tiring/fatigue of the muscles

SKIN

- Rash
- Itching
- Skin blistering or ulcers in the mouth or on other moist surfaces

LOW NUMBER OF PLATELETS

- Bleeding (nose or gum bleeding)
- Bruising

INFUSION-RELATED REACTIONS

- Chills or shaking
- Itching or rash
- Flushing
- Shortness of breath or wheezing
- Dizziness or fever



A patient alert card containing important safety information that you need to be aware of before and during your treatment is available. Carry this card with you at all times, including after stopping treatment, and show it to any healthcare professionals involved in your care.

To access the IMJUDO patient card [click here](#)

Possible side effects of IMFINZI and IMJUDO reported in clinical trials



Like all medicines, IMFINZI and IMJUDO can cause side effects, although not everybody gets them

Even side effects not listed in this patient information booklet should be reported.

Talk to your doctor straight away if you get any side effects, including those that have been reported in clinical trials in patients receiving IMFINZI in combination with IMJUDO:

VERY COMMON (may affect more than 1 in 10 people):

- Underactive thyroid gland that can cause tiredness or weight gain
- Cough
- Diarrhoea
- Stomach pain
- Skin rash
- Itchiness
- Fever
- Swelling of legs (oedema peripheral)
- Abnormal liver tests (aspartate aminotransferase increased; alanine aminotransferase increased)

COMMON (MAY AFFECT UP TO 1 IN 10 PEOPLE):

- Infection of the upper respiratory tract
- Lung infection (pneumonia)
- Flu-like illness
- Tooth and mouth soft tissue infections
- Overactive thyroid gland that can cause fast heart rate or weight loss
- Inflammation of the thyroid gland (thyroiditis)
- Decreased secretion of hormones produced by the adrenal glands that can cause tiredness
- Inflammation of the lungs (pneumonitis)
- Abnormal pancreas function tests
- Inflammation of the gut or intestine (colitis)
- Inflammation of the pancreas (pancreatitis)
- Inflammation of the liver (hepatitis)
- Inflammation of the skin
- Night sweats
- Muscle pain (myalgia)
- Abnormal kidney function test (blood creatinine increased)
- Painful urination (dysuria)
- Reaction to the infusion of the medicine that can cause fever or flushing of the skin

Talk to your doctor straight away if you have any side effects or symptoms, including those not listed in this booklet. Please also consult the Patient Information Leaflet (PIL) for more information on the adverse reactions and side effects of IMFINZI and IMJUDO.

UNCOMMON (MAY AFFECT UP TO 1 IN 100 PEOPLE):

- Fungal infection in the mouth
- Underactive pituitary gland; inflammation of pituitary gland
- A condition in which the muscles become weak and there is a rapid fatigue of the muscles (myasthenia gravis)
- Inflammation of the membrane around the spinal cord and brain (meningitis)
- Inflammation of the heart (myocarditis)
- Hoarse voice (dysphonia)
- Scarring of lung tissue
- Blistering of the skin
- Inflammation of the muscles (myositis)
- Inflammation of the muscles and vessels
- Inflammation of the kidneys (nephritis) that can decrease the amount of your urine
- Inflammation of the joints (immune-mediated arthritis)

RARE (MAY AFFECT UP TO 1 IN 1,000 PEOPLE):

- Inflammation of the eye (uveitis)
- Coeliac disease (characterised by symptoms such as stomach pain, diarrhoea, and bloating after consuming gluten-containing foods)

OTHER SIDE EFFECTS THAT HAVE BEEN REPORTED WITH FREQUENCY NOT KNOWN*

- Low number of platelets with signs of excessive bleeding and bruising (immune thrombocytopenia)
- Diabetes insipidus
- Type 1 diabetes mellitus
- Inflammation of the nerves: (Guillain-Barré syndrome)
- Hole in the bowel (intestinal perforation)
- Inflammation of the brain (encephalitis)
- Inflammation of the bladder (cystitis). Signs and symptoms may include frequent and/or painful urination, urge to pass urine, blood in urine, pain or pressure in lower abdomen
- Lack or reduction of digestive enzymes made by the pancreas (pancreatic exocrine insufficiency)

*Cannot be estimated from the available data.

Self-care tips that may help relieve side effects if they occur:



Keep a healthy, balanced diet

- Eat foods that may help to reduce nausea and diarrhoea
- Reduce or avoid greasy/fatty foods, strong spices, alcohol, gas-forming foods and fizzy drinks
- Drink plenty of water to stay hydrated



Remain active if you're able

- Stay well-rested and try not to over-exert yourself
- If you're able, do gentle exercises like taking short walks or doing simple desk/chair yoga stretches
- You may be at risk of infection so try to avoid crowds where possible
- Report any signs of infection to your doctor right away

All side effects should be reported to your doctor



Talk to your doctor

For maintaining a balanced diet, speak to your medical team and they may recommend speaking to a dietician to ensure what you are eating suits your needs whilst on your treatment.



Notes

This image shows a blank sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and extend across the width of the page. At the very top left corner, there is a small black triangle pointing downwards. The bottom portion of the page features a light blue gradient background that fades from white at the top to a solid light blue at the bottom edge.

Keeping track of your symptoms

Symptom tracker

Keeping track of your side effects and recording how you feel whilst receiving treatment can help you notice trends and ensures that you have notes to discuss with your doctor. You can use the symptom tracker at the end of this booklet to help you.

Your IMFINZI and IMJUDO diary

WEEK BEGINNING/...../.....

YOUR SYMPTOMS	LUNG PROBLEMS	HORMONE GLAND PROBLEMS	LIVER PROBLEMS	GUT PROBLEMS	KIDNEY PROBLEMS	SKIN PROBLEMS
Mon	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Tue	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Wed	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Thu	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Fri	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Sat	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Sun	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5

Use this scale to rate how much your symptoms affect you

1 = Noticeable
2 = Mild
3 = Moderate
4 = Severe
5 = Very severe

Do you feel better or worse than last week?

BETTER

WORSE

RECORD HOW YOU FEEL

Use the number scale to record how your symptoms are each day. This will be useful to show your health-care team so that they know how you've been getting on and how your symptoms change over time. Be sure to tell your healthcare team if you experience anything new.

MUSCLE PROBLEMS	HEART PROBLEMS	PROGASTRIN REACTION	TYPE 1 DIABETES	BRAIN AND NERVOUS PROBLEMS	FLATULENT PROBLEMS	NO SYMPTOMS
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	

NOTES

What should I do if I experience side effects on these medicines?

Talk to your doctor straight away if you:

- Experience any side effects
- Experience something that feels different, even if it is not mentioned in this booklet

You are more likely to cope with your treatment if side effects are managed early on; **managing side effects may help you stay on IMFINZI and IMJUDO, for as long as your healthcare team think you need to.**

Report all side effects to your doctor straight away.

Your doctor may give you other medicines that prevent more severe complications and to help reduce your symptoms. Your doctor may delay the next dose or stop your treatment with IMFINZI and IMJUDO.



Please consult the Patient Information Leaflet (PIL) for more information on how to report side effects.

Your IMFINZI and IMJUDO diary (how to use)

This is **HOW TO USE** your treatment diary. It'll help you keep track of how you are feeling.

Your symptoms

	LUNG PROBLEMS	HORMONE GLAND PROBLEMS	LIVER PROBLEMS	GUT PROBLEMS	KIDNEY PROBLEMS	SKIN PROBLEMS	MUSCLE PROBLEMS
Mon	1 2 3 4 5	1 2 3 4		1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Tue	1 2 3 4 5 1 2			1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Wed	1 2 3 4 5	1 2 3 4		1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Thu	1 2 3 4	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Fri	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Sat	1 2 3 4 5	1 2 3 4 5	1 2 3	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Sun	1 2 3 4 5	1 2 3 4 5	1 2 3 4	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5

Circle a number to tell us how your symptoms are today

Remember to tick the box about how you're feeling this week compared to last week

Use this scale to rate how much your symptoms affect you
 1 = Noticeable 2 = Mild 3 = Moderate 4 = Severe 5 = Very severe

Do you feel better or worse than last week?

BETTER	WORSE

Keeping track of your symptoms is a really important part of your treatment plan. It gives your healthcare team a good idea of how you're doing and if there is anything else they can do to help you. It also shows you how things are going. If you experience any of the side effects listed, contact your healthcare team or seek medical attention immediately. This includes any possible side effects not listed in the Patient Information Leaflet (PIL).

HEART PROBLEMS	INFUSION RELATED REACTIONS	TYPE 1 DIABETES	BRAIN AND NERVE PROBLEMS	PLATELET PROBLEMS	INFLAMMATION OF GLAND (PANCREATITIS)	NO SYMPTOMS
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	

Celebrate a day without any symptoms with a tick in this box

NOTES

This is the notes section for where you can write how you are feeling, maybe if things have changed for the better or not. You can write about new symptoms that you want to talk to your healthcare team about.

Your IMFINZI and IMJUDO diary

Week beginning/...../.....

Your symptoms	LUNG PROBLEMS 	HORMONE GLAND PROBLEMS 	LIVER PROBLEMS 	GUT PROBLEMS 	KIDNEY PROBLEMS 	SKIN PROBLEMS 	MUSCLE PROBLEMS 
Mon	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Tue	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Wed	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Thu	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Fri	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Sat	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Sun	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5

Use this scale to rate how much your symptoms affect you
 1 = Noticeable 2 = Mild 3 = Moderate
 4 = Severe 5 = Very severe

Do you feel better or worse than last week?

BETTER 	WORSE 

Record how you feel

Use the number scale to record how your symptoms are each day. This will be useful to show your healthcare team so that they know how you've been getting on and how your symptoms change over time. Be sure to tell your healthcare team if you experience anything as soon as possible.

HEART PROBLEMS 	INFUSION RELATED REACTIONS 	TYPE 1 DIABETES 	BRAIN AND NERVE PROBLEMS 	PLATELET PROBLEMS 	INFLAMMATION OF GLAND (PANCREATITIS) 	NO SYMPTOMS
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	

NOTES

Your IMFINZI and IMJUDO diary

Week beginning/...../.....

Your symptoms	LUNG PROBLEMS 	HORMONE GLAND PROBLEMS 	LIVER PROBLEMS 	GUT PROBLEMS 	KIDNEY PROBLEMS 	SKIN PROBLEMS 	MUSCLE PROBLEMS 
Mon	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Tue	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Wed	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Thu	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Fri	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Sat	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Sun	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5

Use this scale to rate how much your symptoms affect you
 1 = Noticeable 2 = Mild 3 = Moderate
 4 = Severe 5 = Very severe

Do you feel better or worse than last week?

BETTER	WORSE

Record how you feel

Use the number scale to record how your symptoms are each day. This will be useful to show your healthcare team so that they know how you've been getting on and how your symptoms change over time. Be sure to tell your healthcare team if you experience anything as soon as possible.

HEART PROBLEMS 	INFUSION RELATED REACTIONS 	TYPE 1 DIABETES 	BRAIN AND NERVE PROBLEMS 	PLATELET PROBLEMS 	INFLAMMATION OF GLAND (PANCREATITIS) 	NO SYMPTOMS
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	

NOTES

You are not alone

British Liver Trust

The British Liver Trust is the UK's leading liver health charity, which works to improve liver health for all and supports those affected by liver disease or cancer. Their website includes a wealth of information for patients and their carers:



Website: <https://britishlivertrust.org.uk/>



Email: info@britishlivertrust.org.uk



Telephone: +44 (0)800 652 7330



Notes (It's a good idea to write the date if you're recording symptoms so you can share this with your healthcare team)

This image shows a blank sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and extend across the width of the page. There is a small dark mark at the top center where the paper appears to be folded or bound. The bottom of the page features a light blue gradient background.

[illegible]This image shows a blank sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and extend across the width of the page. At the bottom of the page, there is a decorative header area with a light blue gradient background. This area contains the text "Unit 10" in a large, bold, black font, followed by "Lesson 1" in a smaller, regular black font. Below the lesson title, there is a section labeled "Vocabulary" in a bold, italicized font, followed by a list of words: "cave", "climb", "climber", "climbing", "climbed", "climbs", "climber's", "climberly", "climberish", "climberous", "climberousness", "climberousnesses", "climberousnesses", "climberousnesses", "climberousnesses", "climberousnesses", "climberousnesses", "climberousnesses", "climberousnesses", "climberousnesses", "climberousnesses". The text is right-aligned within this header area.

More Information

Please consult the Patient Information Leaflet (PIL), provided by your doctor or pharmacist for full information about your treatment with IMFINZI and IMJUDO.

If you have any questions about IMFINZI, IMJUDO, liver cancer, or any other issues regarding your treatment, please talk to your doctor.

Reporting of side effects

If you get any side effects, talk to your doctor. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme Website: <https://yellowcard.mhra.gov.uk/> or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of these medicines.

Talk to your doctor straight away if you get any of the side effects.

IMFINZI and IMJUDO are registered trademarks of the AstraZeneca group of companies.

©2025 AstraZeneca. All rights reserved.

PromoMats ID: GB-62509 Date of preparation: 01/2025